Author Index

Al-Mahrouq, H.A. and Kempson, S.A.
Expression of rat renal sodium/phosphate cotransporter in *Xenopus laevis* oocytes (1104) 83
Alonso, M.T., Villalobos, C. and Sanchez, A.
Effects of the antithrombitic agent PCA 4230 on agonist-induced Ca^{2+} entry and Ca^{2+} release in human platelets (1104) 257
Alonzo, F., see Lovisolo, D. (1104) 73
Anchordoguy, T.J., Carpenter, J.F., Crowe, J.H. and Crowe, L.M.
Temperature-dependent perturbation of phospholipid bilayers by dimethylsulfoxide (1104) 117
Arata, Y., see Kimura, K. (1104) 9

Baccino, F.M., see Lovisolo, D. (1104) 73
Bagnara, M., see Celedon, G. (1104) 243
Baldwin, J.M., see Song, L.Y. (1104) 1
Barrabin, H., see Fontes, C.F.L. (1104) 215
Bauer, M.L., Beckman, J.S., Bridges, R.J., Fuller, C.M. and Matalon, S.
Peroxynitrite inhibits sodium uptake in rat colonic membrane vesicles (1104) 87
Baysal, E., see Sullivan, S.G. (1104) 38
Beaujean, V. and Crabbé, J.
Conductive chloride flux across amphibian skin: inhibition by indacrinone and cobalt ion (1104) 174
Beckman, J.S., see Bauer, M.L. (1104) 87
Behn, C., see Celedon, G. (1104) 243
Béliveau, R., see Delisle, M.-C. (1104) 132
Benz, R., Francis, G., Nakae, T. and Ferenci, T.
Investigation of the selectivity of maltoporin channels using mutant LamB proteins: mutations changing the maltodextrin binding site (1104) 299
Benz, R., see Klughammer, B. (1104) 308
Betz, M., see Klughammer, B. (1104) 308
Blume, G., see Cevc, G. (1104) 227
Boens, N., see Vermeir, M. (1104) 63
Bonelli, G., see Lovisolo, D. (1104) 73
Bridges, R.J., see Bauer, M.L. (1104) 87
Brightman, A.O., Navas, P., Minnifield, N.M. and Morré, D.J.
Pyrophosphate-induced acidification of trans cisternal elements of rat liver Golgi apparatus (1104) 188
Brody, S.S., see Rich, M.R. (1104) 269
Buchet, R., Jona, I. and Martonosi, A.
The effect of dicyclohexylcarbodiimide and cyclopiazonic acid on the difference FTIR spectra of sarcoplasmic reticulum induced by photolysis of caged-ATP and caged-Ca^{2+} (1104) 207
Bühlmann, R., see Sojcic, Z. (1104) 31

Carpenter, J.F., see Anchordoguy, T.J. (1104) 117
Celedon, G., Behn, C., Montalar, Y., Bagnara, M. and Sotomayor, C.P.
Transbilayer asymmetry of pyrene mobility in human spherocytic red cell membranes (1104) 243
Cevc, G. and Blume, G.
Lipid vesicles penetrate into intact skin owing to the transdermal osmotic gradients and hydration force (1104) 226
Chattopadhyay, A., Komath, S.S. and Raman, B.
Aggregation of lasalocid A in membranes: a fluorescence study (1104) 147
Crabbé, J., see Beaujean, V. (1104) 174
Crowe, J.H., see Anchordoguy, T.J. (1104) 117
Crowe, L.M., see Anchordoguy, T.J. (1104) 117

Delisle, M.-C., Vachon, V., Giroux, S., Potier, M., Laprade, R. and Béliveau, R.
Molecular size of the renal sodium/phosphate symporter in native and reconstituted systems (1104) 132
De Vrije, T., see In 't Veld, G. (1104) 250
Dietz, K.-J., see Klughammer, B. (1104) 308
Doyle, F.A. and McGivan, J.D.
The bovine renal epithelial cell line NBL-1 expresses a broad specificity Na^+-dependent neutral amino acid transport system (System B^o) similar to that in bovine renal brush border membrane vesicles (1104) 55
Driessen, A.J.M., see In 't Veld, G. (1104) 250
Dukhin, A.S., see Egorova, E.M. (1104) 102
Dvořáková, M., see Kotyk, A. (1104) 293

Egger, M., Heyn, S.-P. and Gaub, H.E.
Synthetic lipid-anchored receptors based on the binding site of a monoclonal antibody (1104) 45
Egorova, E.M., Dukhin, A.S. and Svetlova, I.E.
Some problems of zeta potential determination in electrophoretic measurements on lipid membranes (1104) 102
Elsas, L.J., see Longo, N. (1104) 24
El Yaagoubi, A., see Richarme, G. (1104) 201

Ferenci, T., see Benz, R. (1104) 299
Ferragut, J.A., see Ferrer-Montiel, A.V. (1104) 111
Ferraro, G., see Rich, M.R. (1104) 269
Ferrer-Montiel, A.V., Gonzalez-Ros, J.M. and Ferragut, J.A.
Different distribution of daunomycin in plasma membranes from drug-sensitive and drug-resistant P388 leukemia cells (1104) 111
Fontes, C.F.L., Barrabin, H., Scofano, H.M. and Nørby, J.G.
The role of Mg^{2+} and K^+ in the phosphorylation of Na^+,K^+-ATPase by ATP in the presence of dimethylsulfoxide but in the absence of Na^+ (1104) 215
Francis, G., see Benz, R. (1104) 299
French, A.S., see Wilk-Blaszczak, M.A. (1104) 160
Fuller, C.M., see Bauer, M.L. (1104) 87

Gaub, H.E., see Egger, M. (1104) 45
Giroux, S., see Delisle, M.-C. (1104) 132
Gonzalez-Ros, J.M., see Ferrer-Montiel, A.V. (1104) 111
Griffin, L.D., see Longo, N. (1104) 24

Hassan, I.F., see Nicklin, P.L. (1104) 283
Heyn, S.-P., see Egger, M. (1104) 45
Hirayama, B.A., see Smith, C.D. (1104) 151

Ho, C., Williams, B.W. and Stubbs, C.D.
Analysis of cell membrane micro-heterogeneity using the fluorescence lifetime of DPH-type fluorophores (1104) 273
Hölzel, R. and Lamprecht, I.
Dielectric properties of yeast cells as determined by electrorotation (1104) 195
Honegger, U.E., see Sojcic, Z. (1104) 31
Hoya, A. and Venosa, R.A.
Ionic movements mediated by monensin in frog skeletal muscle (1104) 123
Huang, L., see Litzinger, D.C. (1104) 179
Huang, L., see Liu, D. (1104) 95

In 't Veld, G., De Vrije, T., Driessen, A.J.M. and Konings, W.N.
Acidic phospholipids are required during solubilization of amino acid transport systems of *Lactococcus lactis* (1104) 250
Irwin, W.J., see Nicklin, P.L. (1104) 283

Jeglitsch, G., see Schreibmayer, W. (1104) 233
Jona, I., see Buchet, R. (1104) 207

Kempson, S.A., see Al-Mahrouq, H.A. (1104) 83
Khramtsov, V.V., Marsh, D., Weiner, L. and Reznikov, V.A.
The application of pH-sensitive spin labels to studies of surface potential and polarity of phospholipid membranes and proteins (1104) 317
Kimura, K., Arata, Y., Yasuda, T., Kinosita, Jr., K. and Nakanishi, M.
Fluorescence quenching measurements of the membrane bound lipid haptens with different length spacers (1104) 9
Kinosita, Jr., K., see Kimura, K. (1104) 9
Klughammer, B., Benz, R., Betz, M., Thume, M. and Dietz, K.-J.
Reconstitution of vacuolar ion channels into planar lipid bilayers (1104) 308
Kohiyama, M., see Richarme, G. (1104) 201
Komath, S.S., see Chattopadhyay, A. (1104) 147
Konings, W.N., see In 't Veld, G. (1104) 250
Kotyk, A. and Dvořáková, M.
Are proton symports in yeast directly linked to H^+-ATPase acidification? (1104) 293

Lamprecht, I., see Hölzel, R. (1104) 195
Langley, S.D., see Longo, N. (1104) 24
Laprade, R., see Delisle, M.-C. (1104) 132
Litzinger, D.C. and Huang, L.
Biodistribution and immunotargetability of ganglioside-stabilized dioleoylphosphatidylethanolamine liposomes (1104) 179
Liu, D., Mori, A. and Huang, L.
Role of liposome size and RES blockade in controlling biodistribution and tumor uptake of GM_1-containing liposomes (1104) 95
Longo, N., Griffin, L.D., Langley, S.D. and Elsas, L.J.
Glucose transport by cultured human fibroblasts: regulation by phorbol esters and insulin (1104) 24
Lovisolo, D., Bonelli, G., Baccino, F.M., Peres, A., Alonzo, F. and Munaron, L.
Two currents activated by epidermal growth factor in EGFR-T17 fibroblasts (1104) 73
Lucy, J.A., see Song, L.Y. (1104) 1

Mackay, M., see Nicklin, P.L. (1104) 283
Man, S.F.P., see Wilk-Blaszczak, M.A. (1104) 160
Marsh, D., see Khramtsov, V.V. (1104) 317
Martonosi, A., see Buchet, R. (1104) 207
Matalon, S., see Bauer, M.L. (1104) 87
McGivan, J.D., see Doyle, F.A. (1104) 55
Meylan, M., see Rawyler, A. (1104) 331
Minnifield, N.M., see Brightman, A.O. (1104) 188
Montalar, Y., see Celedon, G. (1104) 243
Mori, A., see Liu, D. (1104) 95
Morré, D.J., see Brightman, A.O. (1104) 188
Munaron, L., see Lovisolo, D. (1104) 73

Nakae, T., see Benz, R. (1104) 299
Nakanishi, M., see Kimura, K. (1104) 9
Navas, P., see Brightman, A.O. (1104) 188
Nicklin, P.L., Irwin, W.J., Hassan, I.F. and Mackay, M.
Proline uptake by monolayers of human intestinal absorptive (Caco-2) cells in vitro (1104) 283
Nørby, J.G., see Fontes, C.F.L. (1104) 215

Omay, H.S. and Schwarz, W.
Voltage-dependent stimulation of Na^+/K^+-pump current by external cations: selectivity of different K^+ congeners (1104) 167
O'Reilly, R., see Song, L.Y. (1104) 1

Peres, A., see Lovisolo, D. (1104) 73
Potier, M., see Delisle, M.-C. (1104) 132

Raman, B., see Chattopadhyay, A. (1104) 147
Rawyler, A., Meylan, M. and Siegenthaler, P.A.
Galactolipid export from envelope to thylakoid membranes in intact chloroplasts. I. Characterization and involvement in thylakoid lipid asymmetry (1104) 331
Reznikov, V.A., see Khramtsov, V.V. (1104) 317
Rich, M.R., Ferraro, G. and Brody, S.S.
Effects of pH on the binding of hematoporphyrin derivative to monolayer and bilayer membranes (1104) 269
Richarme, G., El Yaagoubi, A. and Kohiyama, M.
Reconstitution of the binding protein-dependent galactose transport of *Salmonella typhimurium* in proteoliposomes (1104) 201

Sanchez, A., see Alonso, M.T. (1104) 257
Schlegel, R.A., see Verhoven, B. (1104) 15
Schreibmayer, W. and Jeglitsch, G.
The sodium channel activator Brevetoxin-3 uncovers a multiplicity of different open states of the cardiac sodium channel (1104) 233
Schwarz, W., see Omay, H.S. (1104) 167
Scofano, H.M., see Fontes, C.F.L. (1104) 215
Shibata, A., see Shimooka, T. (1104) 261
Shimooka, T., Shibata, A. and Terada, H.
The local anesthetic tetracaine destabilizes membrane structure by interaction with polar headgroups of phospholipids (1104) 261
Siegenthaler, P.A., see Rawyler, A. (1104) 331
Smith, C.D., Hirayama, B.A. and Wright, E.M.
Baculovirus-mediated expression of the Na^+/glucose cotransporter in Sf9 cells (1104) 151
Sojcic, Z., Toplak, H., Zuehlke, R., Honegger, U.E., Bühlmann, R. and Wiesmann, U.N.
Cultured human skin fibroblasts modify their plasma membrane lipid composition and fluidity according to growth temperature suggesting homeoviscous adaptation at hypothermic (30°C) but not at hyperthermic (40°C) temperatures (1104) 31
Song, L.Y., Baldwin, J.M., O'Reilly, R. and Lucy, J.A.
Relationships between the surface exposure of acidic phospholipids and cell fusion in erythrocytes subjected to electrical breakdown (1104) 1
Sotomayor, C.P., see Celedon, G. (1104) 243
Stern, A., see Sullivan, S.G. (1104) 38

Stubbs, C.D., see Ho, C. (1104) 273
Sullivan, S.G., Baysal, E. and Stern, A.
Inhibition of hemin-induced hemolysis by desferrioxamine: binding of hemin to red cell membranes and the effects of alteration of membrane sulfhydryl groups (1104) 38
Svetlova, I.E., see Egorova, E.M. (1104) 102

Tauskela, J.S. and Thompson, M.
A ^{31}P-NMR spin-lattice relaxation and $^{31}P\{^{1}H\}$ nuclear Overhauser effect study of sonicated small unilamellar phosphatidylcholine vesicles (1104) 137
Terada, H., see Shimooka, T. (1104) 261
Thompson, M., see Tauskela, J.S. (1104) 137
Thume, M., see Klughammer, B. (1104) 308
Tomita, T., Watanabe, M. and Yasuda, T.
Effect of fatty acyl domain of phospholipids on the membrane-channel formation of *Staphylococcus aureus* alpha-toxin in liposome membrane (1104) 325
Toplak, H., see Sojcic, Z. (1104) 31

Vachon, V., see Delisle, M.-C. (1104) 132
Venosa, R.A., see Hoya, A. (1104) 123
Verhoven, B., Schlegel, R.A. and Williamson, P.
Rapid loss and restoration of lipid asymmetry by different pathways in resealed erythrocyte ghosts (1104) 15
Vermeir, M. and Boens, N.
Partitioning of (±)-5,6-dihydro-6-phenyl-2-*n*-alkyl-imidazo[2,1-*b*]thiazoles into large unilamellar liposomes: a steady-state fluorescence quenching study (1104) 63
Villalobos, C., see Alonso, M.T. (1104) 257

Watanabe, M., see Tomita, T. (1104) 325
Weiner, L., see Khramtsov, V.V. (1104) 317
Wiesmann, U.N., see Sojcic, Z. (1104) 31
Wilk-Blaszczak, M.A., French, A.S. and Man, S.F.P.
Halide permeation through 10 pS and 20 pS anion channels in human airway epithelial cells (1104) 160
Williams, B.W., see Ho, C. (1104) 273
Williamson, P., see Verhoven, B. (1104) 15
Wright, E.M., see Smith, C.D. (1104) 151

Yasuda, T., see Kimura, K. (1104) 9
Yasuda, T., see Tomita, T. (1104) 325

Zuehlke, R., see Sojcic, Z. (1104) 31